

# SAFETY DATA SHEET

## DPD1 On-Line Free Chlorine Buffer Solution

Prepared according to U.S. OSHA, CMA, ANSI, Canadian WHMIS regulations

### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **DPD1 On-Line Free Chlorine Buffer Solution**  
PRODUCT CODE: 970-210-1220  
PRODUCT DESCRIPTION: For water testing applications only  
U.N. NUMBER: None  
U.N. DANGEROUS GOODS CLASS: Non-Regulated  
SUPPLIER/MANUFACTURER'S NAME: **Blue I Water Technologies Ltd.**  
ADDRESS: 18 Ha'melacha St., Rosh Ha'ain 48091, Israel  
EMERGENCY PHONE: 972-9-7680004  
BUSINESS PHONE: 972-9-7680004  
WEB SITE: [www.blueitechnologies.com](http://www.blueitechnologies.com)  
DATE OF PREPARATION: December 3, 2013

### SECTION 2 - HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW:

**PRODUCT DESCRIPTION:** This product is a colorless liquid with no odor.

**HEALTH HAZARDS:** Harmful if ingested. May cause irritation to skin and eyes upon contact. Inhalation of spray or mist may cause respiratory irritation

**FLAMMABILITY:** This product is a Non-Flammable product with a flash point greater than 200°F.

**ENVIRONMENTAL EFFECTS:** The Environmental effects of this product have not been investigated, however this product contains ingredients that may cause adverse effects to aquatic life.

US DOT SYMBOL(S)

Non-Regulated

CANADA (WHMIS) SYMBOL(S)



GHS HAZARD SYMBOL(S)



Signal Word: **Warning!**

#### COMPONENTS DETERMINING HAZARDS:

Lithium Hydroxide Monohydrate, Maleic Acid

#### GHS HAZARD CLASSIFICATION(S):

Acute Oral Toxicity Category 4

Eye Irritant Category 2

STOT SE Category 3

Skin Irritant Category 2

#### HAZARD STATEMENTS:

Harmful if swallowed

Causes serious eye irritation

May cause respiratory irritation

Causes skin irritation

#### PRECAUTIONARY STATEMENTS:

Wear protective gloves/protective clothing/eye protection

Do not breath mist/spray

Use only in a well ventilated area

Wash hands thoroughly after handling

#### HEALTH HAZARDS OR RISKS FROM EXPOSURE:

##### ACUTE:

**INHALATION:** Inhalation of heated mist/spray may cause respiratory irritation.

**EYE CONTACT:** Direct eye contact can cause irritation with redness, tearing and blurred vision.

**SKIN CONTACT:** May cause skin irritation. Prolonged exposure may cause sensitization.

**INGESTION:** Ingestion of this product can cause gastrointestinal irritation.

**CHRONIC:** Prolonged or repeated contact with product and poor hygiene conditions may result in skin dryness or dermatitis.

# SAFETY DATA SHEET

## DPD1 On-Line Free Chlorine Buffer Solution

TARGET ORGANS:

ACUTE: Eye, Skin

CHRONIC: Skin

### SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

**HAZARDS DISCLOSURE:** This product does contain known hazardous materials in reportable levels as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200. As defined under Sara 311 and 312, this product contains known hazardous materials.

HAZARDOUS INGREDIENTS:	CAS #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Deionized Water	7732-18-5	80 – 98%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Lithium Hydroxide Monohydrate	1310-66-3	1 – 6%	HAZARD CLASSIFICATION: [C] Corrosive RISK PHRASES: R22, R35
Maleic Acid	110-16-7	1 – 10%	HAZARD CLASSIFICATION: [Xn] Harmful, [Xi] Irritant RISK PHRASES: R22, R36/38, R43
EDTA Disodium Salt	6381-92-6	0.05 – 0.10%	HAZARD CLASSIFICATION: [Xn] Harmful RISK PHRASES: R22

Each of the other components present are less than 1 percent concentration (0.1% concentration for potential carcinogens, reproductive toxins, respiratory tract sensitizers, and mutagens)

**NOTE:** ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format.

### SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and SDS to health professional with contaminated individual.

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention immediately.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Individuals with pre-existing skin disorders should avoid contact with this product.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure.

### SECTION 5 - FIRE-FIGHTING MEASURES

**FLASH POINT:**

>200°F

**AUTOIGNITION TEMPERATURE:**

Not Established

**FLAMMABLE LIMITS (in air by volume, %):**

Lower (LEL): Not Established      Upper (UEL): Not Established

**FIRE EXTINGUISHING MATERIALS:**

Dry chemical, carbon dioxide, foam or water spray.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

None known

Explosion Sensitivity to Mechanical Impact:

Not Sensitive.

Explosion Sensitivity to Static Discharge:

Not Sensitive

**SPECIAL FIRE-FIGHTING PROCEDURES:**

NFPA Rating System



Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

# SAFETY DATA SHEET

## DPD1 On-Line Free Chlorine Buffer Solution

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**SPILL AND LEAK RESPONSE:** Personnel should be trained for spill response operations. Contain and recover if possible. Cover spilled product with sand, earth or other non-combustible absorbent material. Pickup spilled material immediately and place in appropriate containers. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

Do not discharge to sewers and surface waters. Notify authorities if entry occurs.

U.S. Regulations (CERCLA) requires reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

### SECTION 7 - HANDLING and STORAGE

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product on you. Wash thoroughly after handling this product. Use in a well-ventilated location.

**STORAGE AND HANDLING PRACTICES:** Store containers in a cool, dry location. Keep away from sources of ignition. Keep container tightly closed when not in use. Protect from physical damage.

### SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

**EXPOSURE LIMITS/GUIDELINES:**

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Deionized Water	7732-18-5	Not Listed	Not Listed
Lithium Hydroxide Monohydrate	1310-66-3	Not Listed	Not Listed
Maleic Acid	110-16-7	Not Listed	Not Listed
EDTA Disodium Salt	6381-92-6	Not Listed	Not Listed

Currently, International exposure limits are not established for all the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapors.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Not normally required when using this product. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93.

**EYE PROTECTION:** Wear safety glasses or chemical goggles as appropriate where splashing is possible. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**HAND PROTECTION:** Wear chemical resistant gloves as appropriate to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

**BODY PROTECTION:** Use body protection appropriate to prevent skin contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of U.S., Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

### SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

**PHYSICAL STATE:**

Liquid

**APPEARANCE & ODOR:**

Colorless liquid with no odor.

**ODOR THRESHOLD (PPM):**

None

**VAPOR PRESSURE (mmHg):**

Not Available

**VAPOR DENSITY (AIR=1):**

Not Available

**EVAPORATION RATE (nBuAc = 1):**

Not Available

# **SAFETY DATA SHEET**

## **DPD1 On-Line Free Chlorine Buffer Solution**

<b>BOILING POINT (C°):</b>	Not Available
<b>FREEZING POINT (C°):</b>	Not Available
<b>pH:</b>	5.6 – 5.8
<b>SPECIFIC GRAVITY 20°C: (WATER =1)</b>	>1
<b>SOLUBILITY IN WATER (%)</b>	Completely miscible
<b>VOC:</b>	None

### **SECTION 10 - STABILITY and REACTIVITY**

**STABILITY:** Product is stable

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces oxides of carbon

**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** Strong acids.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Contact with incompatible materials

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

**TOXICITY DATA:** Toxicity data is available for the following components:

CAS# 1310-66-3

No LD50 Data Available

CAS# 110-16-7

Draize test, rabbit, eye: 100 mg Severe;

Draize test, rabbit, eye: 1%/2M Severe;

Draize test, rabbit, skin: 500 mg/24H Mild;

Inhalation, rat: LC50 = >720 mg/m<sup>3</sup>/1H;

Oral, mouse: LD50 = 2400 mg/kg;

Oral, rat: LD50 = 708 mg/kg;

Skin, rabbit: LD50 = 1560 mg/kg;

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, nor suspected to be a cancer-causing agent by these agencies.

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to skin and eyes.

**SENSITIZATION OF PRODUCT:** Ingredients in this product are considered a sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No information available

### **SECTION 12 - ECOLOGICAL INFORMATION**

**ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.**

**ENVIRONMENTAL STABILITY:** No specific data is available for this product, however this product is expected to be readily biodegradable

**EFFECT OF MATERIAL ON PLANTS or ANIMALS:** No data available

**EFFECT OF CHEMICAL ON AQUATIC LIFE:** No data available

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations.

### **SECTION 14 - TRANSPORTATION INFORMATION**

**US DOT; IATA; IMO; ADR:**

**THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.**

**PROPER SHIPPING NAME:** Non-Regulated Material

**HAZARD CLASS NUMBER and DESCRIPTION:** None

**UN IDENTIFICATION NUMBER:** None

**PACKING GROUP:** None

**DOT LABEL(S) REQUIRED:** None

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2012):** None

# **SAFETY DATA SHEET**

## **DPD1 On-Line Free Chlorine Buffer Solution**

**MARINE POLLUTANT:** None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:**

This product is not classified as Hazardous Materials, per U.S. DOT regulations, under 49 CFR 172.101.

**TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:**

This product is not classified as Dangerous Goods, per regulations of Transport Canada.

**INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):**

This product is not classified as Dangerous Goods, by rules of IATA:

**INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:**

This product is not classified as Dangerous Goods by the International Maritime Organization.

### **SECTION 15 - REGULATORY INFORMATION**

**UNITED STATES REGULATIONS**

**SARA REPORTING REQUIREMENTS:** This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

**SARA 311/312:**

Acute Health: Yes      Chronic Health: No      Fire: No      Reactivity: No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** CAS# 110-16-7: 5000 lb final RQ; 2270 kg final RQ

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** None of the ingredients are on the California Proposition 65 lists.

**CANADIAN REGULATIONS:**

**CANADIAN DSL/NDL INVENTORY STATUS:**All of the components of this product are on the DSL Inventory

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** This is considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and is therefore subject to the labeling and MSDS requirements of the Workplace Hazardous Materials Information System (WHMIS). Class D2B Materials having other toxic effects.

**INTERNATIONAL CHEMICAL INVENTORIES:**

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed or Exempt
Australian Inventory of Chemical Substances (AICS):	Listed or Exempt
Korean Existing Chemicals List (ECL):	Listed or Exempt
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed or Exempt
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed or Exempt
Swiss Giftlist List of Toxic Substances:	Listed or Exempt
U.S. TSCA:	Listed

### **SECTION 16 - OTHER INFORMATION**

**PREPARED BY:** Paul Eigbrett

GHS MSDS Compliance PLUS

**Disclaimer:**

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Blue I Water Technologies Ltd. The data on this sheet is related only to the specific material designated herein. Blue I Water Technologies Ltd. assumes no legal responsibility for use or reliance upon this data.

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.